

SIO WALL GUARDS

CRUSHRAILS, CORNERGUARDS AND WALLGUARDS



SIO VASUNDDHARA International Private Limited

People Customers Growth

K - 2/836, Vasant Kunj Road, Near Mata Chowk, Mahipalpur, New Delhi - 110 037, INDIA. Ph: +91 11 2678 5169 / 4103 2065 • Email: contact@sio.co.in • Web: www.sio.co.in For Distribution Inquiries: +91 99104 89457 • For Institutional Inquiries: +91 99589 98108

SIO Crushrails.





SIO CR S 157

Corners

Height



Height 157mm Rail offset 76mm Length 8 feet (2438 mm) Standard SIO bracket **Brackets**



SIO CR P 157D



Height Rail offset Length **Brackets** Corners

76mm 8 feet (2438 mm) Standard SIO bracket

157mm

Continuous outside



SIO CR P 157W



Continuous outside

Rail offset 76mm Length 8 feet (2438 mm) Standard SIO bracket **Brackets** Corners Continuous outside




SIO CR S 138



Length **Brackets** Corners

8 feet (2438 mm) Standard SIO bracket Continuous outside



SIO CR P 138D

Height 138mm Rail offset 76mm Length 8 feet (2438 mm)

Brackets Standard SIO bracket Corners Continuous outside



SIO CR P 138W

Height Rail offset Length

138mm 76mm

8 feet (2438 mm) **Brackets** Standard SIO bracket

Continuous outside



SIO CR SS 138



Height 138mm Rail offset 76mm Length 8 feet (2438 mm)

Standard SIO bracket **Brackets** Corners Continuous outside



SIO CR S 142

Height Rail offset Lenath **Brackets**


142mm 76mm

8 feet (2400 mm) Standard SIO bracket

Corners Continuous outside

SIO Crushrails.





SIO CR P 142D



Height 142mm Rail offset 76mm 8 feet (2438 mm) Length Standard SIO bracket **Brackets**

Continuous outside



SIO CR P 142W



Height Rail offset Length **Brackets** Corners

142mm 76mm

8 feet (2438 mm) Standard SIO bracket Continuous outside



SIO CR S 90

Height

Rail offset

Corners



90mm 76mm

8 feet (2438 mm) Length Standard SIO bracket **Brackets** Corners Continuous outside



SIO CR P 90W




Height 90_{mm} Rail offset 76mm

Length **Brackets** Corners

8 feet (2438 mm) Standard SIO bracket

Continuous outside



SIO CR SS 90



Height 90_{mm} Rail offset 76mm

Length 8 feet (2438 mm) Brackets Standard SIO bracket Continuous outside Corners



SIO CR P 39S



Height 39_{mm} Rail offset

76mm Length

Brackets Continuous outside Corners

8 feet (2438 mm) Standard SIO bracket



SIO CR P 39W



Height 39_{mm} Rail offset 76mm Length

8 feet (2438 mm) **Brackets** Standard SIO bracket Corners Continuous outside



SIO CR SS 39



Height Rail offset Lenath

76mm

39_{mm}

Brackets Corners

8 feet (2400 mm) Standard SIO bracket Continuous outside

SIO Wallguards.






SIO WG P 135

Width 135 mm
Height 22 mm
Thickness 3 mm
Tensile 55 kg per cm
Strength

Two PVC reflector strips of 18 mm x 3 mm on top of profile



SIO WG P 150D

Height 150mm
Rail offset 21mm
Length 8 feet (2438 mm)
Corners Continuous outside



SIO WG P 150W

Height 150mm
Rail offset 21mm
Length 8 feet (2438 mm)
Corners Continuous outside




SIO WG S 150

Height 150mm
Rail offset 21mm
Length 8 feet (2438 mm)
Corners Continuous outside



SIO WG S 100

Height 100mm
Rail offset 21mm
Length 8 feet (2438 mm)
Corners Continuous outside



SIO WG P 100D

Height 100mm
Rail offset 21mm
Length 8 feet (2438 mm)
Corners Continuous outside



SIO WG P 92TG

87mm

Width 87mm
Height 35mm
Thickness 4mm
Tensile 55 kg per cm

Strength

A PVC reflector strip of 5 mm dia on top of profile



SIO WG P 52TG

Width 47mm
Height 31mm
Thickness 6mm
Tensile 55 kg per cm

Strength

A PVC reflector strip of 5 mm dia on top of profile

SIO Cornerguards.





SIO CG P 82CG

Width 82x82mm Thickness 3mm Height 16_{mm} 55 kg Tensile Strength

PVC reflector strip of 18mm x 3mm on top of profile.



SIO CG P 76W



Width 76x76mm Offset 10_{mm} Length 8 feet (2438 mm) Corners Continuous outside



SIO CG P 76M



Width 76x76mm Offset 10mm 8 feet (2438 mm) Length Corners Continuous outside



SIO CG P 52S



Width 52x52mm Offset 9mm

Length 8 feet (2438 mm) Continuous outside Corners



SIO CG P 52W



Width 52x52mm Offset 9mm

Length 8 feet (2438 mm) Corners

Continuous outside



SIO CG P 52M



Width 52x52mm Offset 9_{mm}

Length 8 feet (2438 mm) Corners Continuous outside



SIO CG P 46S



Width 46x46mm Offset 8mm

8 feet (2438 mm) Length Corners Continuous outside



SIO CG P 46W



Width 46x46mm Offset 8mm

8 feet (2438 mm) Length Corners Continuous outside

SIO WALL GUARDS www.sio.co.in

SIO Cornerguards.



SIO CG P 46M

Width 46x46mm Offset 8 mm

Length 8 feet (2438 mm)

Corners Continuous outside



SIO CG P 36S

Width 36x36mm Offset 3 mm

Length 8 feet (2438 mm)
Corners Continuous outside



SIO CG P 36W

Corners

Width 36x36mm
Offset 3 mm
Length 8 feet (2438 mm)


Continuous outside



SIO CG P SOFT-S

Width 00x00mm Offset 4 mm

Length 8 feet (2438 mm)
Corners Continuous outside




SIO CG P SOFT

Width 00x00mm

Offset 4 mm

Length 8 feet (2438 mm)

Corners Continuous outside




SIO CG S 40

Width 40x40mm

Offset 1 mm, 1.2 mm

Length 4 feet (1219 mm)

Corners Continuous outside



SIO CG S 50

Width 50x50mm

Offset 1mm, 1.2mm, 1.5mm

Length 4 feet (1219 mm)

Corners Continuous outside



SIO CG S 60

Width 60x60mm

Offset 1mm, 1.2mm, 1.5mm

Length 4 feet (1219 mm)

Corners Continuous outside



SIO VASUNDDHARA INTERNATIONAL PVT. LTD.

Founded with the vision to work with fairness, honesty and courtesy towards all internal and external stakeholders to achieve the company's objectives, **Sio Vasunddhara International** has serviced such prestigious names as ABB, DLF, LnT, PVR, TAJ hotels and resorts, Unitech, Fortis, Airtel, bata, The Oberoi, HP, Raheja developers and many others.